

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|-----------------|------------------|---------|------------------|
| S400 | 0 | (ccd same bucket brigade) same output same power near10 consumption same reduce | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:10 |
| S401 | 0 | (ccd same bucket brigade) same output same power near10 consumption | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:10 |
| S402 | 0 | (ccd same bucket brigade) same output same power near10 reduce | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:11 |
| S403 | 8 | (ccd same bucket brigade) same output same power | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:11 |
| S404 | 0 | (ccd same bucket brigade) same power same reduce | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:11 |
| S405 | 39 | (ccd same bucket brigade) and reduce near10 power | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:12 |
| S406 | 0 | (ccd same bucket brigade) and reduce near10 power same accumulation near10 (period or time) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:12 |
| S407 | 10 | (ccd same bucket brigade) and reduce near10 power and accumulation near10 (period or time) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:12 |
| S408 | 17 | "6702483" | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:20 |
| S409 | 1 | power control same ccd same output same conversion | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:28 |
| S410 | 0 | power control same ccd and control same common output same accumulation same (period or time or seconds) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:29 |

| | | | | | | |
|------|-------|--|-----------------|-----|----|------------------|
| S411 | 35 | common output same accumulation same (period or time or seconds) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:30 |
| S412 | 9 | common output same accumulation same (period or time or seconds) same (predetermined or preset or shorter) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:32 |
| S413 | 1 | common output same accumulation same (period or time or seconds) same (supply power) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:55 |
| S414 | 3 | common output and accumulation same (period or time or seconds) same (supply power) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:55 |
| S415 | 57 | accumulation same (period or time or seconds) same (supply power) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:57 |
| S416 | 14 | accumulation same (period or time or seconds) same (supply power) same output | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:57 |
| S417 | 13 | accumulation same (period or time or seconds) same (supply power) and CCD | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 17:59 |
| S418 | 24755 | accumulation near10 time | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 18:01 |
| S419 | 1127 | accumulation near10 time same CCD | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 18:01 |
| S420 | 14 | accumulation near10 time same CCD same (predetermined predetermined or preset or preselected) | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 18:02 |
| S421 | 0 | accumulation near10 time same CCD same (predetermined predetermined or preset or preselected) near10 power | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 18:03 |

| | | | | | | |
|------|----|---|--------------------|-----|----|---------------------|
| S422 | 80 | accumulation near10 time same CCD same power | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 18:03 |
| S423 | 0 | accumulation near10 time same CCD same power level | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 18:03 |
| S424 | 6 | accumulation near10 time same CCD same power near10 level | US-PGPUB; USPAT | ADJ | ON | 2009/02/25 18:03 |

2/28/2009 2:30:38 PM

C:\Documents and Settings\bmccomas\My Documents\EAST\Workspaces\asdas.wsp